

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	1,2	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	0,58	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	0,83	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	0,65	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	1,3	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	6,1	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	0,93	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,0092	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	9,2	ng/l						
Sum af 22 PFAS	0,012	µg/l						
Sum af 22 PFAS	12	ng/l						

Prøvenummer	835-2022-07279901	835-2022-07279902	835-2022-07279903	835-2022-07279904	835-2022-07279905	835-2022-07279906	835-2022-07279907
Prøve mærke	1	2	3	4	5	6	7
DGUNr							

Komponent	Enhed	Resultat	Resultat	Resultat	Resultat	Resultat	Resultat	Resultat
PFBA (Perfluorbutansyre)	ng/l	0,8	0,63	0,76	1,4	1,2	1,4	1,2
PFBS (Perfluorbutansulfonsyre)	ng/l	<0,30	<0,30	<0,30	<0,30	<0,30	1,1	0,93
PFPeA (Perfluorpentansyre)	ng/l	<0,30	0,36	<0,30	0,62	<0,30	1,2	0,92
PFPeS (Perfluorpentansulfonsyre)	ng/l	<0,30	<0,30	<0,30	<0,30	<0,30	0,81	0,73
PFHxA (Perfluorhexansyre)	ng/l	<0,30	0,4	0,36	0,52	0,58	1,5	1,6
PFHxS (Perfluorhexansulfonsyre)	ng/l	<0,30	0,33	0,43	0,56	0,83	4,9	3,8
PFHpA (Perfluorheptansyre)	ng/l	0,39	0,6	0,54	0,51	0,65	1,3	1
PFHpS (Perfluorheptansulfonsyre)	ng/l	<0,30	<0,30	<0,30	<0,30	<0,30	0,43	0,34
PFOA (Perfluoroktansyre)	ng/l	0,68	0,96	1,4	1,1	1,3	2,2	1,8
PFOS (Perfluoroktansulfonsyre)	ng/l	1,1	3,7	11	6,4	6,1	29	20
6:2 FTS (Fluortelomersulfonat)	ng/l	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30
PFOSA (Perfluoroktansulfonamid)	ng/l	<0,30	<0,30	0,34	1,1	<0,30	0,67	0,4
PFNA (Perfluornonansyre)	ng/l	<0,30	0,73	1,3	0,71	0,93	1,3	0,83
PFNS (Perfluornonansulfonsyre)	ng/l	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30
PFDA (Perfluordekansyre)	ng/l	<0,30	<0,30	0,36	<0,30	<0,30	<0,30	<0,30
PFDS (Perfluordekansulfonsyre)	ng/l	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30
PFUnDA (Perfluorundekansyre)	ng/l	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30
PFUnDS (Perfluorundekansulfonsyre)	ng/l	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0
PFDoDA (Perfluordodekansyre)	ng/l	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30
PFDoDS (Perfluordodekansulfonsyre)	ng/l	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0
PFTTrDA (Perfluortridekansyre)	ng/l	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0
PFTTrDS (Perfluortridekansulfonsyre)	ng/l	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0
Sum af PFOA,PFOS,PFNA og PFHxS	µg/l	0,0018	0,0057	0,014	0,0088	0,0092	0,037	0,026
Sum af PFOA,PFOS,PFNA og PFHxS	ng/l	1,8	5,7	14	8,8	9,2	37	26
Sum af 22 PFAS	µg/l	0,003	0,0077	0,016	0,013	0,012	0,046	0,034
Sum af 22 PFAS	ng/l	3	7,7	16	13	12	46	34

835-2022-07279908 835-2022-07279909 835-2022-07279910 835-2022-07279911 835-2022-07279912 835-2022-07279913 835-2022-07279914 835-2022-07279915 835-2022-07279916 835-2022-07279917

8 10 11 12 13 14 15 16 Skum OVF

Resultat	Resultat	Resultat	Resultat	Resultat	Resultat	Resultat	Resultat	Resultat	Resultat
36	1,1	<0,60	1,4	0,87	0,66	<0,60	1,2	<20	1,2
120	0,91	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<10	0,99
58	0,72	0,36	0,56	0,31	0,38	<0,30	0,5	<10	0,85
81	0,68	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<10	<0,30
120	1,4	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<10	1,3
350	5,3	<0,30	0,36	<0,30	<0,30	<0,30	0,45	<10	3,7
26	1,1	<0,30	<0,30	<0,30	0,34	<0,30	<0,30	<10	0,9
26	0,81	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	12	0,3
37	2,7	0,59	0,94	0,66	0,42	0,72	0,58	52	1,7
1700	41	1,6	3,1	1	0,44	<1,0	<1,0	15000	18
35	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<10	<0,30
<10	0,6	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	55	0,4
<10	1,8	<0,30	0,63	<0,30	<0,30	<0,30	<0,30	500	0,95
<10	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<10	<0,30
<10	0,37	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	1000	<0,30
<10	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<10	<0,30
<10	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	670	<0,30
<10	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0	<10	<1,0
<10	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	<0,30	60	<0,30
<10	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0	<10	<1,0
<10	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0	20	<1,0
<10	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0	<1,0	<10	<1,0
2,1	0,051	0,0022	0,005	0,0017	0,00086	0,00072	0,001	16	0,024
2100	51	2,2	5	1,7	0,86	0,72	1	16000	24
2,6	0,058	0,0026	0,007	0,0028	0,0022	0,00072	0,0027	17	0,03
2600	58	2,6	7	2,8	2,2	0,72	2,7	17000	30

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	0,8	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	0,39	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	0,68	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	1,1	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,0018	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	1,8	ng/l						
Sum af 22 PFAS	0,003	µg/l						
Sum af 22 PFAS	3	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	0,63	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	0,36	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	0,4	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	0,33	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	0,6	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	0,96	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	3,7	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	0,73	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,0057	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	5,7	ng/l						
Sum af 22 PFAS	0,0077	µg/l						
Sum af 22 PFAS	7,7	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	0,76	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	0,36	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	0,43	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	0,54	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	1,4	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	11	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	0,34	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	1,3	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	0,36	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,014	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	14	ng/l						
Sum af 22 PFAS	0,016	µg/l						
Sum af 22 PFAS	16	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	1,4	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	0,62	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	0,52	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	0,56	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	0,51	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	1,1	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	6,4	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	1,1	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	0,71	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,0088	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	8,8	ng/l						
Sum af 22 PFAS	0,013	µg/l						
Sum af 22 PFAS	13	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	1,4	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	1,1	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	1,2	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	0,81	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	1,5	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	4,9	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	1,3	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	0,43	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	2,2	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	29	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	0,67	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	1,3	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,037	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	37	ng/l						
Sum af 22 PFAS	0,046	µg/l						
Sum af 22 PFAS	46	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	1,2	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	0,93	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	0,92	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	0,73	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	1,6	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	3,8	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	1	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	0,34	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	1,8	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	20	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	0,4	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	0,83	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,026	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	26	ng/l						
Sum af 22 PFAS	0,034	µg/l						
Sum af 22 PFAS	34	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	36	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	120	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	58	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	81	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	120	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	350	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	26	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	26	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	37	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	1700	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	35	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<10	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<10	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<10	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<10	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	2,1	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	2100	ng/l						
Sum af 22 PFAS	2,6	µg/l						
Sum af 22 PFAS	2600	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	1,1	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	0,91	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	0,72	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	0,68	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	1,4	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	5,3	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	1,1	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	0,81	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	2,7	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	41	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	0,6	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	1,8	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	0,37	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,051	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	51	ng/l						
Sum af 22 PFAS	0,058	µg/l						
Sum af 22 PFAS	58	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	<0,60	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	0,36	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	0,59	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	1,6	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,0022	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	2,2	ng/l						
Sum af 22 PFAS	0,0026	µg/l						
Sum af 22 PFAS	2,6	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	1,4	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	0,56	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	0,36	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	0,94	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	3,1	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	0,63	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,005	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	5	ng/l						
Sum af 22 PFAS	0,007	µg/l						
Sum af 22 PFAS	7	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	0,87	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	0,31	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	0,66	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	1	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,0017	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	1,7	ng/l						
Sum af 22 PFAS	0,0028	µg/l						
Sum af 22 PFAS	2,8	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	0,66	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	0,38	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	0,34	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	0,42	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	0,44	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,00086	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	0,86	ng/l						
Sum af 22 PFAS	0,0022	µg/l						
Sum af 22 PFAS	2,2	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	<0,60	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	0,72	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	<1,0	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,00072	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	0,72	ng/l						
Sum af 22 PFAS	0,00072	µg/l						
Sum af 22 PFAS	0,72	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	1,2	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	0,5	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	0,45	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	0,58	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	<1,0	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,001	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	1	ng/l						
Sum af 22 PFAS	0,0027	µg/l						
Sum af 22 PFAS	2,7	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	<20	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	12	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	52	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	15000	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	55	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	500	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	1000	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<10	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	670	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<10	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	60	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<10	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	20	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<10	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	16	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	16000	ng/l						
Sum af 22 PFAS	17	µg/l						
Sum af 22 PFAS	17000	ng/l						

Komponent	Resultat	Enhed	DL	Metode				
PFBA (Perfluorbutansyre)	1,2	ng/l	0,6	DIN38407-42 mod. LC-MS/MS				
PFBS (Perfluorbutansulfonsyre)	0,99	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeA (Perfluorpentansyre)	0,85	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFPeS (Perfluorpentansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxA (Perfluorhexansyre)	1,3	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHxS (Perfluorhexansulfonsyre)	3,7	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpA (Perfluorheptansyre)	0,9	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFHpS (Perfluorheptansulfonsyre)	0,3	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOA (Perfluoroktansyre)	1,7	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOS (Perfluoroktansulfonsyre)	18	ng/l	0,2	DIN38407-42 mod. LC-MS/MS				
6:2 FTS (Fluortelomersulfonat)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFOSA (Perfluoroktansulfonamid)	0,4	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNA (Perfluornonansyre)	0,95	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFNS (Perfluornonansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDA (Perfluordekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDS (Perfluordekansulfonsyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDA (Perfluorundekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFUnDS (Perfluorundekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFDoDA (Perfluordodekansyre)	<0,30	ng/l	0,3	DIN38407-42 mod. LC-MS/MS				
PFDoDS (Perfluordodekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDA (Perfluortridekansyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
PFTTrDS (Perfluortridekansulfonsyre)	<1,0	ng/l	1	DIN38407-42 mod. LC-MS/MS				
Sum af PFOA,PFOS,PFNA og PFHxS	0,024	µg/l						
Sum af PFOA,PFOS,PFNA og PFHxS	24	ng/l						
Sum af 22 PFAS	0,03	µg/l						
Sum af 22 PFAS	30	ng/l						